

ADDENDUM 2

Project:
CTH JJ Reconstruction

Bid/Proposal Opening:
03/12/2026 10:00 AM

To All Potential Bidders:

The following changes and/or modifications have been made for the subject proposal:

1. Revise Bid Form to address formatting error that moved bid items to different page.

This page shall be submitted with all proposals in order to acknowledge Addendum 2.

Firm Name: _____

Authorized Signature: _____

Printed Name: _____

Date: _____

This Addendum was prepared under the direction of Outagamie County.

Michael Morman

Michael Morman, P.E.
Highway Engineer
March 11, 2026

BID FORM – Addendum 2

PROJECT IDENTIFICATION: **Project 582500**
 CTH JJ Reconstruction
 Black Otter Creek Bridge to Nash Street
 Village of Hortonville, Outagamie County

THIS BID IS SUBMITTED TO: **Outagamie County Highway Department**
 Michael Morman, P.E., Highway Engineer
 1313 Holland Road
 Appleton, WI 54911

1. The undersigned BIDDER proposes and agrees, if this Bid is accepted, to enter into an agreement with OWNER in the form included in the Contract Documents to perform and furnish all Work as specified or indicated in the Contract Documents for the Bid Price and within the Bid Times indicated in this Bid and in accordance with the other terms and conditions of the Contract Documents.

2. BIDDER accepts all of the terms and conditions of the Advertisement or Invitation to Bid and Instructions to Bidders, including without limitation those dealing with the disposition of Bid security. This Bid will remain subject to acceptance for 90 days after the date of bid opening. BIDDER will sign and deliver the required number of counterparts of the Agreement with the Bonds and other documents required by the Bidding Requirements within ten (10) days after the date of OWNER's Notice of Award.

3. In submitting this Bid, BIDDER represents, as more fully set forth in the Agreement, that:

- (a) BIDDER has examined copies of all the bidding documents and of the following Addenda, receipt of all which is hereby acknowledged:

Addendum Number	Date of Addendum

- (b) BIDDER has visited the site and become familiar with and is satisfied as to the general, local and site conditions that may affect cost, progress, performance and furnishing of the Work;
 - (c) BIDDER is familiar with and is satisfied as to all federal, state and local laws and regulations that may affect cost, progress, performance and furnishing of the Work.
 - (d) BIDDER is aware of the general nature of Work to be performed by OWNER and others at the site that relates to Work for which this Bid is submitted as indicated in the Contract Documents.
 - (e) BIDDER has correlated the information known to BIDDER, information and observations obtained from visits to the site, reports and drawings identified in the bidding documents and all additional examinations, investigations, explorations, tests, studies and data with the bidding documents.
 - (f) BIDDER has given OWNER written notice of all conflicts, errors or discrepancies that BIDDER has

discovered in the bidding documents and the written resolution thereof by OWNER is acceptable to BIDDER, and the bidding documents are generally sufficient to indicate and convey understanding of all terms and conditions for performing and furnishing the Work for which this Bid is submitted.

- (g) This Bid is genuine and not made in the interest of or on behalf of any undisclosed person, firm or corporation and is not submitted in conformity with any agreement or rules of any group, association, organization or corporation; BIDDER has not directly or indirectly induced or solicited any other BIDDER to submit a false or sham Bid; BIDDER has not solicited or induced any person, firm or corporation to refrain from bidding; and BIDDER has not sought by collusion to obtain for itself any advantage over any other BIDDER or over OWNER.

4. BIDDER will complete the Work in accordance with the bidding documents for the prices shown on the attached schedules of unit prices. The OWNER reserves the right to accept any bid alternate in its entirety. BIDDER is not required to submit all bid alternates but must complete at least one of the bid alternates in its entirety to be considered a complete bid. OWNER reserves the right to reject any bid alternates that are incomplete.

BIDDER acknowledges that unit quantities contained in some parts of the proposal are not guaranteed and final payment will be based on actual quantities determined as provided in the contract documents and installed in the field.

5. BIDDER agrees that the Work will be substantially complete and completed and ready for final payment in accordance with the Special Provisions on or before the dates or within the number of calendar days indicated in the Agreement. BIDDER accepts the provisions of the Agreement as to liquidated damages in the event of failure to complete the Work within the times specified in the contract documents.

6. The following documents are either attached hereto or previously submitted and made a condition of this Bid:

- (a) Required Bid Security in the form of (Bond) (Certified Check) attached hereto in the amount of at least ten percent (10%) of the maximum bid price.
- (b) A tabulation of Subcontractors, Suppliers and other persons and organizations required to be identified in this Bid.

7. Communications concerning this Bid shall be addressed to the address of BIDDER indicated below.

8. Terms used in this Bid which are defined in the General Conditions or Instructions will have the meanings indicated in the General Conditions or Instructions.

BID FORM – Addendum 2

Project 582500 - Base Bid Black Otter Creek Bridge to Nash Street CTH JJ Reconstruction Outagamie County		Qty	Units	Unit Price	Cost
Item #	Item Description				
201.0120	Clearing	246	ID	\$	\$
201.0220	Grubbing	345	ID	\$	\$
204.0100	Removing Concrete Pavement	674	SY	\$	\$
204.0130	Removing Curb	40	LF	\$	\$
204.0150	Removing Curb and Gutter	5394	LF	\$	\$
204.0155	Removing Concrete Sidewalk	3219	SY	\$	\$
204.0185	Removing Masonry	11.2	CY	\$	\$
204.0185	Removing Concrete Bases	30	Each	\$	\$
204.0210	Removing Manholes	12	Each	\$	\$
204.0220	Removing Inlets	27	Each	\$	\$
204.0245.01	Removing Storm Sewer 4-Inch to 12-Inch	1059	LF	\$	\$
204.0245.02	Removing Storm Sewer Greater than 12-Inch	684	LF	\$	\$
205.0100	Excavation Common	10705	CY	\$	\$
209.2100	Backfill Granular Grade 2	306	Ton	\$	\$
213.0100	Finishing Roadway	1	Each	\$	\$
305.0120	Base Aggregate Dense 1 1/4-Inch	10380	Ton	\$	\$
311.0110	Breaker Run	500	Ton	\$	\$
415.0410	Concrete Pavement Approach Slab	125	SY	\$	\$
415.4100	Concrete Pavement Joint Filling	125	SY	\$	\$
416.0610	Drilled Tie Bars	101	Each	\$	\$
415.0605	Tack Coat	660	Gal	\$	\$
460.5223	HMA Pavement 3LT 58-28 S	3015	Ton	\$	\$
460.5224	HMA Pavement 4LT 58-28 S	3015	Ton	\$	\$
465.0120	Asphaltic Surface Driveways and Field Entrances	159	Ton	\$	\$
504.0500	Concrete Masonry Retaining Walls	1.5	CY	\$	\$
513.2001	Railing Pipe	37	LF	\$	\$
520.8000	Concrete Collars for Pipe	15	Each	\$	\$
522.1021	Apron Endwalls for Culvert Pipe Reinforced Concrete 21-Inch	1	Each	\$	\$

601.0110	Concrete Curb Type D	10	LF	\$	\$
601.0407	Concrete Curb & Gutter 18-Inch Type D	85	LF	\$	\$
601.0411	Concrete Curb & Gutter 30-Inch Type D	5662	LF	\$	\$
602.0405	Concrete Sidewalk 4-Inch	13746	SF	\$	\$
602.0410	Concrete Sidewalk 5-Inch	16900	SF	\$	\$
602.0415	Concrete Sidewalk 6-Inch	4243	SF	\$	\$
602.0515	Curb Ramp Detectable Warning Field Natural Patina	220	SF	\$	\$
602.0615	Curb Ramp Detectable Warning Field Radial Natural Patina	52.3	SF	\$	\$
602.0810	Concrete Driveway 6-Inch	422	SY	\$	\$
602.0815	Concrete Driveway 7-Inch	763	SY	\$	\$
602.0860	Concrete Driveway HES 6-Inch	50	SY	\$	\$
602.0865	Concrete Driveway HES 7-Inch	50	SY	\$	\$
602.1500	Concrete Steps	125	SF	\$	\$
608.0321	Storm Sewer Pipe Reinforced Concrete Class III 21-Inch	59	LF	\$	\$
608.0412	Storm Sewer Pipe Reinforced Concrete Class IV 12-Inch	280	LF	\$	\$
608.0415	Storm Sewer Pipe Reinforced Concrete Class IV 15-Inch	95	LF	\$	\$
608.0418	Storm Sewer Pipe Reinforced Concrete Class IV 18-Inch	31	LF	\$	\$
608.3012	Storm Sewer Pipe Class III-A 12-Inch	377	LF	\$	\$
608.3015	Storm Sewer Pipe Class III-A 15-Inch	186	LF	\$	\$
608.3018	Storm Sewer Pipe Class III-A 18-Inch	46	LF	\$	\$
608.3024	Storm Sewer Pipe Class III-A 24-Inch	631	LF	\$	\$
611.0535	Manhole Covers Type J-Special	14	Each	\$	\$
611.0624	Inlet Covers Type H	29	Each	\$	\$
611.2004	Manholes 4-FT Diameter	11	Each	\$	\$
611.2005	Manholes 5-FT Diameter	1	Each	\$	\$
611.2006	Manholes 6-FT Diameter	2	Each	\$	\$
611.3004	Inlets 4-FT Diameter	2	Each	\$	\$
611.3230	Inlets 2x3-FT	27	Each	\$	\$
611.8110	Adjusting Manhole Covers	3	Each	\$	\$
611.8115	Adjusting Inlet Covers	3	Each	\$	\$

619.0100	Mobilization	1	LS	\$	\$
624.0100	Water	180	MGAL	\$	\$
628.1504	Silt Fence	345	LF	\$	\$
628.1520	Silt Fence Maintenance	345	LF	\$	\$
628.1905	Mobilizations Erosion Control	4	Each	\$	\$
628.1910	Mobilizations Emergency Erosion Control	4	Each	\$	\$
628.2002	Erosion Mat Class I Type A	3538	SY	\$	\$
628.6005	Turbidity Barrier	210	SY	\$	\$
628.7010	Inlet Protection Type B	2	Each	\$	\$
628.7020	Inlet Protection Type D	59	Each	\$	\$
628.7560	Tracking Pads	2	Each	\$	\$
630.0500	Seed Water	79	MGAL	\$	\$
637.2210	Signs Reflective Type II Reflective H	47.5	SF	\$	\$
638.2102	Moving Signs Type II	61	Each	\$	\$
638.3000	Removing Signs Type II	7	Each	\$	\$
638.3000	Removing Small Sign Supports	24	Each	\$	\$
642.5201	Field Office Type C	1	Each	\$	\$
644.1410	Temporary Pedestrian Surface Asphalt	5700	SF	\$	\$
644.1601	Temporary Curb Ramp	60	DAY	\$	\$
644.1605	Temporary Pedestrian Detectable Warning Field	100	SF	\$	\$
644.1810	Temporary Pedestrian Barricade	650	LF	\$	\$
645.0135	Geogrid Type SR	200	SY	\$	\$
646.1020	Marking Line Epoxy 4-Inch	4297	LF	\$	\$
646.4020	Marking Line Epoxy 10-Inch	146	LF	\$	\$
646.6120	Marking Stop Line Epoxy 18-Inch	158	LF	\$	\$
646.7520	Marking Crosswalk Epoxy Block Style 24-Inch	708	LF	\$	\$
646.8220	Marking Island Nose Epoxy	3	Each	\$	\$
646.8320	Marking Parking Stall Epoxy	450	LF	\$	\$
646.9000	Marking Removal Line 4-Inch	80	LF	\$	\$
650.4000	Construction Staking Storm Sewer	47	Each	\$	\$
650.4500	Construction Staking Subgrade	2840	LF	\$	\$
650.5000	Construction Staking Base	2840	LF	\$	\$
650.5500	Construction Staking Curb Gutter and Curb & Gutter	5831	LF	\$	\$

650.7000	Construction Staking Concrete Pavement	60	LF	\$	\$
650.8501	Construction Staking Electrical Installations	1	Each	\$	\$
650.9000	Construction Staking Curb Ramps	23	Each	\$	\$
650.9500	Construction Staking Sidewalk	1	Each	\$	\$
650.9911	Construction Staking Supplemental Control	1	Each	\$	\$
650.9920	Construction Staking Slope Stakes	2840	LF	\$	\$
652.0225	Conduit Rigid Nonmetallic Schedule 40 2-Inch	1953	LF	\$	\$
652.0325	Conduit Rigid Nonmetallic Schedule 80 2-Inch	545	LF	\$	\$
653.0154	Pull Boxes Non-Conductive 24x36-Inch	11	Each	\$	\$
653.0905	Removing Pull Boxes	7	Each	\$	\$
654.0101	Concrete Bases Type 1	2	Each	\$	\$
654.0105	Concrete Bases Type 5	20	Each	\$	\$
654.0230	Concrete Control Cabinet Bases Type L30	1	Each	\$	\$
655.0610	Electrical Wire Lighting 12 AWG	4200	LF	\$	\$
655.0615	Electrical Wire Lighting 10 AWG	240	LF	\$	\$
655.0620	Electrical Wire Lighting 8 AWG	10755	LF	\$	\$
655.0625	Electrical Wire Lighting 6 AWG	5304	LF	\$	\$
656.0201	Electrical Service Meter Breaker Pedestal	1	Each	\$	\$
659.2130	Lighting Control Cabinets 120/240 30-Inch	1	Each	\$	\$
690.0150	Sawing Asphalt	3436	LF	\$	\$
690.0250	Sawing Concrete	1475	LF	\$	\$
999.1501.S	Crack and Damage Survey	44	Each	\$	\$
SPV.0060.01	RRFB Assembly	2	Each	\$	\$
SPV.0060.02	Removing Existing Street Lighting Units	28	Each	\$	\$
SPV.0060.03	Lighting Assembly Single Fixture	20	Each	\$	\$
SPV.0060.04	Temporary Mailbox Accommodations	1	Each	\$	\$
SPV.0060.05	Post Tubular Steel (Black) 3-Inch with V-Lock Post Anchors, 12-Foot	25	Each	\$	\$
SPV.0060.06	Post Tubular Steel (Black) 3-Inch with V-Lock Post Anchors, 14-Foot	2	Each	\$	\$

SPV.0060.07	Post Tubular Steel (Black) 3-Inch with V-Lock Post Anchors, 16-Feet	1	Each	\$	\$
SPV.0060.08	Concrete Curb & Gutter Gaps	4	Each	\$	\$
SPV.0060.09	Yard Drain 24-Inch Diameter	3	Each	\$	\$
SPV.0060.10	Casting for Yard Drain 24-Inch Diameter	3	Each	\$	\$
SPV.0060.11	Remove and Salvage Village Clock CTH JJ (W. Main Street) and Pine Street	1	Each	\$	\$
SPV.0060.12	Removing Tree Grates and Frames	5	Each	\$	\$
SPV.0090.01	Concrete Curb & Gutter 24-Inch Type D	40	LF	\$	\$
SPV.0090.02	Concrete Curb & Gutter 30-Inch HES Type D	95	LF	\$	\$
SPV.0090.03	Concrete Retaining Curb	362	LF	\$	\$
SPV.0090.04	Storm Sewer Lateral 4-Inch	49	LF	\$	\$
SPV.0090.05	Storm Sewer Lateral 6-Inch	101	LF	\$	\$
SPV.0090.06	Storm Sewer Pipe PVC	5	LF	\$	\$
SPV.0105.01	Remove and Salvage Traffic Signals CTH JJ (W.Main St.) and Nash St.	1	LS	\$	\$
SPV.0105.02	Traffic Control	1	LS	\$	\$
SPV.0105.03	Traffic Control Detour	1	LS	\$	\$
SPV.0165.01	Salvage Paver Bricks	25	SF	\$	\$
SPV.0165.02	Thickened Edge Sidewalk	1445	SF	\$	\$
SPV.0165.03	Salvage and Reset Landscaping	576	SF	\$	\$
SPV.0180.03	Restoration	3536	SY	\$	\$
BASE BID TOTAL				\$	\$

Project 582500 - Base Bid Village Sanitary, Watermain, Storm Sewer CTH JJ Reconstruction Outagamie County		Qty	Units	Unit Price	Cost
Item #	Item Description				
SPV.0060.101	Adjust Sanitary Manhole	9	Each	\$	\$
SPV.0060.102	Reconstruct Sanitary Manhole	2	Each	\$	\$
SPV.0060.103	Replace Sanitary Manhole	1	Each	\$	\$
SPV.0060.104	Spot Repair 8-inch Sanitary Sewer	2	Each	\$	\$
SPV.0060.105	Preconstruction Home Visit for Pipe Bursting	6	Each	\$	\$

SPV.0060.106	Sanitary Lateral Inside Reconnection	6	Each	\$	\$
SPV.0060.107	Sanitary Lateral Outside Reconnection or 90* Bend	1	Each	\$	\$
SPV.0060.108	Pothole and Connect Pipe Burst Sanitary Lateral at Main	6	Each	\$	\$
SPV.0060.109	4-inch Inside Cleanout	5	Each	\$	\$
SPV.0060.110	6-inch Inside Cleanout	1	Each	\$	\$
SPV.0060.111	4-inch Spears Backwater Valve and Extension	5	Each	\$	\$
SPV.0060.112	6-inch Spears Backwater Valve and Extension	1	Each	\$	\$
SPV.0060.113	Inside Floor Drain	6	Each	\$	\$
SPV.0060.114	18" x 22" Sump Pump Pit (concurrent with inside reconnection)	2	Each	\$	\$
SPV.0060.115	Reconnect Water Lateral in Basement	5	Each	\$	\$
SPV.0060.116	Electrical System Re-Bonding and Grounding (if necessary)	5	Each	\$	\$
SPV.0060.117	1-inch Curb Stop and Box including Pothole	5	Each	\$	\$
SPV.0060.118	Reconnect Water Lateral at Corporation	5	Each	\$	\$
SPV.0060.119	Cap Existing Sanitary Lateral at Main	3	Each	\$	\$
SPV.0060.120	Cap Existing Water Lateral at Corporation	4	Each	\$	\$
SPV.0060.121	Adjust Gate Valve Box	10	Each	\$	\$
SPV.0060.122	Adjust Curb Stop Box	13	Each	\$	\$
SPV.0060.123	Hydrovac to Determine Watermain or Lateral Depth	11	Each	\$	\$
SPV.0060.124	24-inch Inlet 27.1A With Casting (STA 62+57 rear yard)	1	Each	\$	\$
SPV.0090.101	4-Inch Sanitary Lateral - Pipe Burst	435	LF	\$	\$
SPV.0090.102	6-Inch Sanitary Lateral - Pipe Burst	140	LF	\$	\$
SPV.0090.103	1-inch Water Lateral Concurrent With Sanitary Pipe Burst	545	LF	\$	\$
SPV.0090.104	Install 4-foot Wide Insulation on Existing Water Main or Lateral	275	LF	\$	\$
SPV.0090.105	8-inch Sanitary Sewer - Crystal Springs Drive	206	LF	\$	\$
SPV.0090.106	6-inch Storm Sewer (Inlet 27.1A to 27.1) inc. flowable backfil	38	LF	\$	\$
SPV.0105.101	Salvage and Reinstall Hydrant inc 6-inch Lead - Cherry Street	1	LS	\$	\$

SPV.0105.102	Sanitary Control Manhole #092 - Crystal Springs Drive	1	LS	\$	\$
SPV.0105.103	Concrete Between Buildings and Pavement Restoration (Inlet 27.1A to 27.1)	1	LS	\$	\$
BASE BID TOTAL				\$	

Project 582500 - Base Bid Black Otter Creek Bridge Replacement CTH JJ Reconstruction Outagamie County		Qty	Units	Unit Price	Cost
Item #	Item Description				
203.0250	Removing Structure Over Waterway Remove Debris B-44-489	1	Each	\$	\$
205.0501.S	Excavation, Hauling, and Disposal of Contaminated Soil	100	Ton	\$	\$
206.1001	Excavation for Structure Bridges B-44-489	1	Each	\$	\$
210.1500	Backfill Structure Type A	550	Ton	\$	\$
502.0100	Concrete Masonry Bridges	348	CY	\$	\$
502.3200	Protective Surface Treatment	307	SY	\$	\$
505.0400	Bar Steel Reinforcement HS Structures	7,340	LB	\$	\$
505.0600	Bar Steel Reinforcement HS Coated Structures	47,890	LB	\$	\$
513.7031	Railing Steel Type C6	141	LF	\$	\$
516.0500	Rubberized Membrane Waterproofing	31	SY	\$	\$
517.1015.S	Concrete Staining Multi-Color B-44-489	448	SF	\$	\$
517.1050.S	Architectural Surface Treatment B-44-489	448	SF	\$	\$
550.1100	Piling Steel HP 10-Inch x 42 Lb	890	LF	\$	\$
606.0300	Riprap Heavy	210	CY	\$	\$
612.0406	Pipe Underdrain Wrapped 6-Inch	210	LF	\$	\$
619.1000	Mobilization	1	Each	\$	\$
645.0111	Geotextile Type DF Schedule A	120	SY	\$	\$
645.0120	Geotextile Fabric Type HR	385	SY	\$	\$
650.6501	Construction Staking Structure B-44-489	1	Each	\$	\$

SPV.0060.13	Removing and Restacking Block Retaining Wall	1	Each	\$	\$
999.2000.S	Installing and Maintaining Bird Deterrant System STA 50+45	1	Each	\$	\$
BASE BID TOTAL				\$	

Project 07807040 - Bid Alternate 1 Memorial Square Design CTH JJ Reconstruction Outagamie County		Qty	Units	Unit Price	Cost
Item #	Item Description				
SITE					
1	Mobilization, Bonds & Insurance	1	LS	\$	\$
2	Erosion Control and Sedimentation Control	1	LS	\$	\$
2	Excavation Below Subgrade with Breaker Run and Geogrid	70	CY	\$	\$
4	Remove Site Trees	1	LS	\$	\$
5	Site Removals	1	LS	\$	\$
6	Traffic Control	1	LS	\$	\$
7	Unclassified Excavation	1	LS	\$	\$
8	Exploratory Excavation	1	Each	\$	\$
9	5-Inch Concrete Sidewalk with Base	1,380	SF	\$	\$
10	5-Inch Colored Concrete Sidewalk with Base	270	SF	\$	\$
11	Concrete Curb, 4-Inch	110	LF	\$	\$
12	Landscaping	630	SF	\$	\$
13	Stone Mulch	75	SF	\$	\$
AMENITIES					
14	Bike Rack	3	Each	\$	\$
15	Shade Structure	3	Each	\$	\$
16	Drinking Fountain	1	Each	\$	\$
17	42-Inch Railing, Black	35	LF	\$	\$
18	Flagpole, 30-Foot	1	LS	\$	\$
19	Granite Memorial Stone with Bronze Plaque	1	LS	\$	\$
UTILITIES					
20	Irrigation System	1	LS	\$	\$
21	Connect to Capped Water Service	1	LS	\$	\$

22	Water Service, HDPE, 1-Inch	55	LF	\$	\$
23	Corporation Curb Stop and Valve	2	Each	\$	\$
24	48-Inch Meter Pit Manhole	1	Each	\$	\$
25	Fitting, Tee, 4x12x12-Inch	1	Each	\$	\$
26	Nyloplast Drain Basin, 12-Inch	1	Each	\$	\$
27	Nyloplast Drain Basin, 18-Inch	1	Each	\$	\$
28	Public Storm Utility Drainage Piping, HDPE, 4-Inch	5	LF	\$	\$
29	Public Storm Utility Drainage Piping, HDPE, 12-Inch	80	LF	\$	\$
30	Connect to Existing Storm Sewer	1	LS	\$	\$
31	Imported Granular Backfill	60	Ton	\$	\$
32	Site Lighting, Base Bid	1	LS	\$	\$
33	Electrical Allowance	1	LS	\$	\$
ADDITIVE ALTERNATE #1					
AA1	Gateway Feature	1	LS	\$	\$
AA2	Site Lighting, AA1	1	LS	\$	\$
BID ALTERNATE 1 TOTAL				\$	

If BIDDER is:

An Individual

By _____ (SEAL)
 (Individual's Name)

doing business as _____

Business address _____

Phone No. _____

A Partnership

By _____ (SEAL)
(Firm Name)

(General Partner)

Business Address _____

Phone No. _____

A Corporation

By _____
(Corporation)

(State of Incorporation)

By _____
(Name of Person Authorized to Sign)

(Title)

(Corporate Seal)

Attest _____
(Secretary)

Business Address _____

Phone No. _____

A Joint Venture

By _____
(Name)

(Address)

By _____
(Name)

(Address)

(Each joint venturer must sign. The manner of signing for each individual, partnership and corporation that is a party to the joint venture should be in the manner indicated above.)

SUBCONTRACTOR LIST

Contractor shall list all subcontractors including the name, address, phone number, contact person, description of work and estimated dollar value of work.

Subcontractor

Name: _____

Address: _____

Contact: _____ Phone: (____) _____

Description: _____ Amount: \$ _____

Subcontractor

Name: _____

Address: _____

Contact: _____ Phone: (____) _____

Description: _____ Amount: \$ _____

Subcontractor

Name: _____

Address: _____

Contact: _____ Phone: (____) _____

Description: _____ Amount: \$ _____

Subcontractor

Name: _____

Address: _____

Contact: _____ Phone: (____) _____

Description: _____ Amount: \$ _____

The OWNER reserves the right to accept or reject any subcontractor.